



## “ FLOREALP ”

CHAMPEX (Switzerland)

SEEDS

1939-1940

The Florealp garden is situated at nearly 5,000 feet of altitude, in the Swiss part of the Mont-Blanc chain, on the lake of Champex.

The nearest railway-station is Martigny-Orsières on the route of the Grand Saint-Bernard.

The conditions of growth of the plants are particularly favourable both concerning soil, which is a moraine-soil, and climate, a real alpine climate.

The seeds are packed with the greatest care. We warrant the authenticity of the species delivered. The seeds are gathered from strong and healthy plants, cultivated in their natural soil.

*PRICE OF EACH PACKET.* — Each seed packet costs -/11. They are good sized packets but rarer species give smaller quantities.

*PRICES OF COLLECTIONS :*

10 best kinds . . . . .	6/—	} post paid
20 » » . . . . .	10/—	
50 » » . . . . .	20/—	

We put (\*) for seeds which can be sold by weight. Please ask special offer.

*TERMS.* — The prices quoted are for cash on receipt of invoice.

Cheques to the order of J.M. AUBERT, Champex.

Packing and postage will be charged at cost price.

Seedorders amounting to 10/— are sent post paid.

All our parcels travel at Owner's Risk Rate.

Correspondance to be sent to J.M. AUBERT, Florealp Champex.

\* *Acantholimon venustum* ...  
*Achillea atrata* ...  
 — *ambigua* ...  
 — *Clavennae* ...  
 — *clusiana* ...  
 — *filipendulina* ...  
 — *Kellereri* ...  
 — *moschata* ...  
 — *nana* ...  
 — *Philipopoli* ...  
 — *serbica* ...  
 — *sericea* ...  
 — *tomentosa* ...  
 — *umbellata* ...  
*Aconitum Anthora* ...  
 — *napellus* ...  
*Adenophora Potanini* ...  
*Adenostyles albifrons* ...  
 — *alpina* ...  
*Adonis pyrenaica* ...  
*Aethionema grandiflorum* ...  
 — *pulchellum* ...  
 — *schistosum* ...  
 \* *Agrostema coronaria* ...  
 \* *Ajuga pyramidalis* ...  
*Alchemilla alpina* ...  
*Alyssum alpestris* ...  
 — *idaeum* ...  
 — *longicaule* ...  
 — *molleudonficanum* ...  
 — *orientale* ...  
 — *ovirense* ...  
 \* — *saxatilis* ...  
 \* — *saxatilis citrinum* ...  
 \* — *spinosum* ...  
 — *spinosum roseum* ...  
*Anacyclus depressus* ...  
*Androsace Brigantiaea* ...  
 — *carinata* ...  
 — *carnea* ...  
 — *ciliata* ...  
 — *glacialis* ...  
 — *hedracantha* ...  
 \* — *Helvetica* ...  
 \* — *imbricata* ...  
 — *Septentrionale* ...  
 — *lactea* ...  
 — *lactiflora* ...  
 — *laggeri* ...  
 — *lanuginosa* ...  
 — *macrantha* ...  
 — *oculata* ...  
 \* — *obtusifolia* ...  
 — *pubescens* ...  
 \* — *sarmentosa* ...  
 \* — *sempervivoides* ...  
 — *villosa* ...  
 — *vitaliana* ...

— *Watkinsii* ...  
 — *yunnanense* ...  
*Anemone albana* ...  
 — *alpina* ...  
 — *armena* ...  
 — *baldensis* ...  
 — *blanda* ...  
 — *dichotoma* (pennsylvanica) ...  
 — *globosa* ...  
 — *Hepatica triloba* ...  
 — *montana* ...  
 \* — *narcissiflora* ...  
 — *pulsatilla* ...  
 — *rivularis* ...  
 — *rubra* ...  
 \* — *sulphurea* ...  
 — *sylvestris* ...  
 \* — *vernalis* ...  
 \* *Angelica archangelica* ...  
*Antennaria carpatia* ...  
 — *dioica* ...  
 — *neodioica* ...  
*Anthericum ramosum* ...  
*Anthyllis montana* ...  
*Aquilegia alpina* ...  
 — *canadensis* ...  
 — *discolor* ...  
 — *glandulosa* ...  
 — *pyrenaica* ...  
 \* — *hybrida* ...  
 \* — *vulgaris* ...  
*Arabis albida* ...  
 — *coerulea* ...  
 — *rosea* ...  
*Arenaria graminifolia* ...  
 — *laricifolia* ...  
 — *Ledebouriana* ...  
 — *montana grandiflora* ...  
 — *purpurescens* ...  
 — *recurva* ...  
*Arctostaphylos Uva Ursi* ...  
 \* *Armeria alpina* ...  
 — *caespitosa* ...  
 — *maritima* ...  
*Arnica Chamissonis* ...  
 — *cordifolia* ...  
 — *longifolia* ...  
 \* — *montana* ...  
*Aronicum scorpioides* ...  
*Artemisia absinthium* ...  
 — *laxa* ...  
 — *mutellina* ...  
 — *spicata* ...  
 — *valesiaca* ...  
*Asarum canadense* ...  
*Asclepias tuberosa* ...  
*Asperula cynanchica* ...  
 — *odorata* ...  
 \* *Asphodelus luteus* ...

\*Aster alpinus . . . . .  
 \* — alpinus albus . . . . .  
 \* — diplostephioides . . . . .  
 — himalaicus . . . . .  
 — Strachyi . . . . .  
 Astragalus alpinus . . . . .  
 — angustifolius . . . . .  
 — excapus . . . . .  
 \* — monspessulanus . . . . .  
 — Sikkimensis . . . . .  
 \*Astrantia major . . . . .  
 — minor . . . . .  
 \*Atragene alpina . . . . .  
 Aubrietia deltoidea . . . . .  
 — Dr. Mules . . . . .  
 — Fire King . . . . .  
 — mélange (mixed) . . . . .  
 Azalea procumbens . . . . .  
 Bellis coerulescens . . . . .  
 Bellium bellidioides . . . . .  
 Betonica grandiflora . . . . .  
 Brassica repanda . . . . .  
 Buphtalmum grandivorum . . . . .  
 Bupleurum stellatum . . . . .  
 Calamintha acynos . . . . .  
 Calceolaria polyrhiza . . . . .  
 Caltha palustris . . . . .  
 Campanula adsurgens . . . . .  
 — Allionii . . . . .  
 — Argunensis . . . . .  
 — Aucheri . . . . .  
 \* — barbata . . . . .  
 — barbata alba . . . . .  
 — carpatica . . . . .  
 — carpatica alba . . . . .  
 \* — cenisia . . . . .  
 — collina . . . . .  
 \* — dahurica . . . . .  
 — excisa (rare) . . . . .  
 — garganica . . . . .  
 — garganica hirsuta . . . . .  
 — glomerata . . . . .  
 \* — lactiflora . . . . .  
 — lanata . . . . .  
 \* — latifolia . . . . .  
 \* — medium var. rosea . . . . .  
 — persicifolia alba . . . . .  
 — Poscharskyana . . . . .  
 — pulla . . . . .  
 \* — pusilla . . . . .  
 — pusilla alba . . . . .  
 — Raddeana . . . . .  
 — rhomboidalis . . . . .  
 — rotundifolia . . . . .  
 — sarmatica . . . . .  
 — saxifraga . . . . .  
 — speciosa . . . . .  
 — Stevenii . . . . .  
 — spicata . . . . .  
 — thyrsoides . . . . .

Campanula turbinata . . . . .  
 Cardamine trifoliata . . . . .  
 Carlina acaulis . . . . .  
 Catananche coerulea . . . . .  
 Centaurea montana . . . . .  
 Centranthus angustifolius . . . . .  
 — ruber . . . . .  
 Cephalaria alpina . . . . .  
 \*Cerastium argenteum . . . . .  
 — glaciale . . . . .  
 — lanatum . . . . .  
 \*Chelone barbata . . . . .  
 Cheiranthus Allionii . . . . .  
 — Cheirii . . . . .  
 Chrysanthemum arcticum . . . . .  
 — Atkinsonii . . . . .  
 — maximum . . . . .  
 Cineraria aurantiaca . . . . .  
 Cirsium spinosissimum . . . . .  
 Clematis vitalba . . . . .  
 Codonopsis ovata . . . . .  
 Convalaria majalis . . . . .  
 Coreopsis oculata . . . . .  
 — grandiflora . . . . .  
 \*Cortusa Matthioli . . . . .  
 Corydalis cheilanthifolia . . . . .  
 \* — lutea . . . . .  
 — sempervirens . . . . .  
 \*Coloneaster adpressa . . . . .  
 — congesta . . . . .  
 — myrtifolia . . . . .  
 \* — vulgaris . . . . .  
 Crepis pyamaea . . . . .  
 Crocus vernus . . . . .  
 Crucianella stylosa . . . . .  
 Cupressus arizonica . . . . .  
 Cyananthus incanus . . . . .  
 — lobatus . . . . .  
 — pedunculatus . . . . .  
 Cyclamen europaeum . . . . .  
 — Coum . . . . .  
 — hederæfolium (neapolit) . . . . .  
 Cypripedium calceolus . . . . .  
 Cytisus purpureus . . . . .  
 Daphne cneorum . . . . .  
 — cneorum major . . . . .  
 — mezereum . . . . .  
 — pontica . . . . .  
 Delphinium grandiflorum . . . . .  
 — nudicaule . . . . .  
 — zalil . . . . .  
 \*Dianthus alpinus . . . . .  
 — arênarius . . . . .  
 \* — arvernensis . . . . .  
 — caesius . . . . .  
 — caucasicus . . . . .  
 — corsicus . . . . .  
 \* — cruentus . . . . .  
 \* — deltoides . . . . .



- \* — deltoides Brillant . . .
- glacialis . . .
- Grisebachii . . .
- Knappii . . .
- neglectus . . .
- olgae . . .
- \* — plumarius . . .
- \* — Roysii . . .
- Sternbergii . . .
- subacaulis . . .
- \* — superbus . . .
- sylvestris . . .
- Dictytra spectabilis . . .
- \* Digitalis grandiflora . . .
- lanata . . .
- \* — lutea . . .
- \* — purpurea . . .
- Dictamnus fraxinellus . . .
- Draba aizoides . . .
- alpina . . .
- aurea . . .
- borealis . . .
- carinthiaca . . .
- dubia . . .
- incana . . .
- Kotschyi . . .
- nivalis . . .
- tomentosa . . .
- Dracocephalum botryoides . . .
- japonicum . . .
- nutans . . .
- Ruychianum . . .
- Docera rotundifolia . . .
- Dryas Drummondii . . .
- \* — octopetala . . .
- Sundermanni . . .
- tenella . . .
- Echinacea purpurea . . .
- Edraianthus dalmaticus . . .
- Empetrum nigrum . . .
- Epilobium Dodonai . . .
- Hectori . . .
- latifolium . . .
- rosmarinifolium . . .
- Eranthis hyemalis . . .
- Erica stricta . . .
- multiflora . . .
- Erigeron aurantiacus . . .
- aureus . . .
- compositus . . .
- frigidus . . .
- \* — glabellus . . .
- glaucus . . .
- neglectus . . .
- Erinus alpinus . . .
- \* — hirsutus . . .
- \* Eritrichium nanum (rare)  
Roi des Alpes) . . .
- Erodium amatum . . .
- macradenum . . .
- \* — Manescavi . . .
- Crispi . . .
- \* Eryngium alpinum . . .
- \* — Bourgati . . .
- \* — giganteum . . .
- Eryngium glaciale . . .
- hybridum . . .
- Erysimum Allionii . . .
- purpureum . . .
- Eschscholzia aurantiaca . . .
- californica vars . . .
- \* Euphorbia Myrsinites . . .
- Festuca crinum-ursi . . .
- glauca . . .
- Gaillardia grandiflora . . .
- Gaura Lindheimeri . . .
- Genista dalmatica . . .
- \* — juncea . . .
- pilosa . . .
- sagittalis . . .
- sulphurea . . .
- Gentiana acaulis . . .
- alpina . . .
- amarella . . .
- Andrewsii . . .
- angulosa . . .
- \* — asclepiadæa . . .
- \* — angustifolia . . .
- \* — bavarica . . .
- brachyphylla . . .
- elliptica . . .
- Farreri . . .
- Favratii . . .
- Freyniana . . .
- Froelichii . . .
- germanica . . .
- imbricata . . .
- \* — Lagodechiana . . .
- lutea . . .
- ornata . . .
- punctata . . .
- Parryi . . .
- Purdomi . . .
- \* — purpurea . . .
- \* — septemfida . . .
- sikkimensis . . .
- straminea . . .
- utriculosa . . .
- \* — verna . . .
- Geranium argenteum . . .
- \* — cinereum . . .
- Endressi . . .
- Fremonti . . .
- grandiflorum . . .
- Gruinum . . .
- \* — ibericum . . .
- sanguineum . . .
- sanguineum album . . .
- Geum atrococcineum . . .

— atrosanguineum . . . . .  
 — Borisii . . . . .  
 \* — Heldreichii . . . . .  
 \* — montanum . . . . .  
 — phaeum . . . . .  
 — reptans . . . . .  
 Gillenia trifoliata . . . . .  
 Gladiolus communis . . . . .  
 \* — palustris . . . . .  
 Glaucium luteum . . . . .  
 Globularia cordifolia . . . . .  
 — cordifolia alba . . . . .  
 — nana . . . . .  
 — trychosantha . . . . .  
 — vulgaris . . . . .  
 Gnaphalium supinum . . . . .  
 Goultheria pyrolaefolia . . . . .  
 Gymnadenia albida . . . . .  
 Gypsophila cerastioides . . . . .  
 — paniculata . . . . .  
 \* — repens . . . . .  
 — tenuifolia . . . . .  
 Helianthemum aureum . . . . .  
 — Brilliant . . . . .  
 — Old Gold . . . . .  
 — Pritchardi . . . . .  
 — roseum . . . . .  
 — en mélange . . . . .  
 Helichrysum anatolicum . . . . .  
 Heliopsis acabra . . . . .  
 \* Helleborus niger . . . . .  
 \* Heracleum Mantegazzianum . . . . .  
 \* Heuchera sanguinea . . . . .  
 Hieracium aurantiacum . . . . .  
 — bomby cinum . . . . .  
 Hippocrepis comosa . . . . .  
 Homogyne alpina . . . . .  
 Horminum pyrenaicum . . . . .  
 Hutchinsia alpina . . . . .  
 Hypericum Coris . . . . .  
 \* — repens . . . . .  
 Hyssopus officinalis . . . . .  
 Iberis gibraltarica . . . . .  
 — sempervirens . . . . .  
 — — Snow flake . . . . .  
 \* Incarvillea Delavayi . . . . .  
 — grandiflora . . . . .  
 Inula ensifolia . . . . .  
 \* — glandulosa . . . . .  
 — Helenium . . . . .  
 — magnifica . . . . .  
 — montana . . . . .  
 \* Iris sibirica . . . . .  
 \* — — alba . . . . .  
 \* Jasione perennis . . . . .  
 Kerneria saxatilis . . . . .  
 Lavendula spica . . . . .

Leontopodium alpinum  
 (Edelweiss) . . . . .  
 Liatris graminifolia . . . . .  
 Lilium bulbiferum . . . . .  
 — Chaixii . . . . .  
 \* — Martagon . . . . .  
 \* — pomponium . . . . .  
 \* — pyrenaicum . . . . .  
 Linaria alpina . . . . .  
 — alpina concolor . . . . .  
 — origanifolia . . . . .  
 Linum campanulatum . . . . .  
 — collinum . . . . .  
 — extra-axillare . . . . .  
 — flavum . . . . .  
 \* — narbonense . . . . .  
 \* — perenne . . . . .  
 Lithospermum Gastoni . . . . .  
 — graminifolium . . . . .  
 — intermedium . . . . .  
 \* — prostratum . . . . .  
 \* Lupinus polyphyllus . . . . .  
 \* — polyphyllus var. rose . . . . .  
 Luzula lutea . . . . .  
 Lychnis alpina . . . . .  
 — alpina var. alba . . . . .  
 \* — coronaria . . . . .  
 — chalcedonica . . . . .  
 \* — flos Jovis . . . . .  
 — Haageana . . . . .  
 \* — viscaria . . . . .  
 — viscaria alba . . . . .  
 Marrubium libanoticum . . . . .  
 \* Matthiola valesiaca . . . . .  
 Meconopsis Baileyi . . . . .  
 — cambrica . . . . .  
 — horridula . . . . .  
 — nepalensis . . . . .  
 — paniculata . . . . .  
 — simplicifolia . . . . .  
 — Wallichii . . . . .  
 Mertensia echioides . . . . .  
 — paniculata . . . . .  
 — sibirica . . . . .  
 — primuloides . . . . .  
 Meum mutellinum . . . . .  
 Micromeria Piperella . . . . .  
 \* Monarda dydima . . . . .  
 \* Mulgedium alpinum . . . . .  
 — Bourgaei . . . . .  
 \* Nepeta Mussini . . . . .  
 Nigritella angustifolia . . . . .  
 \* Oenothera macrocarpa . . . . .  
 — pumila . . . . .  
 Ononis cenisia . . . . .  
 — fruticosa . . . . .  
 \* — natrix . . . . .  
 \* — rotundifolia . . . . .

- Onosma Helvetica* . . . . .  
 — *rupestris* . . . . .  
*Oxyria digyna* . . . . .  
*Oxytropis montana* . . . . .  
*Paeonia tridentata* . . . . .  
 \* *Papaver alpinum* . . . . .  
 — *croceum* . . . . .  
 \* — *nudicaule* . . . . .  
 — *pyrenaicum* . . . . .  
 \* *Paradisica liliastrum* . . . . .  
*Parnassia palustris* . . . . .  
*Pentstemon coeruleus* . . . . .  
 — *Edithae* . . . . .  
 — *gracilis* . . . . .  
 — *hirsutus* . . . . .  
 — *humilis* . . . . .  
 — *linarioides* . . . . .  
 — *procerus nanus* . . . . .  
*Physostegia virginiana* . . . . .  
*Phyteuma hemisphaericum* . . . . .  
 — *Scheuchzeri* . . . . .  
 — *spicatum* . . . . .  
*Pinguicula vulgaris* . . . . .  
*Podophyllum Emodi* . . . . .  
 \* *Polemonium carneum* . . . . .  
 — *coeruleum* . . . . .  
 — *elegans* . . . . .  
 — *humile* . . . . .  
*Polygala Chamaebuxus* . . . . .  
 — *Veyredae* . . . . .  
*Polygonum viviparum* . . . . .  
*Potentilla atosanguinea* . . . . .  
 — *aurea* . . . . .  
 — *Griffithii* . . . . .  
 — *nepalensis* . . . . .  
 — *nepalensis Roxana* . . . . .  
 — *nitida* . . . . .  
 — *multifida* . . . . .  
 — *pyrenaica* . . . . .  
 — *Salesowiana* . . . . .  
 — *valderia* . . . . .  
*Prenanthes purpurea* . . . . .  
*Primula auricula* (type al-  
 pin) . . . . .  
 — *auricula italica* . . . . .  
 — *Beesiana* . . . . .  
 \* — *cachemiriana* . . . . .  
 \* — *cachemiriana alba* . . . . .  
 — *calycina* . . . . .  
 — *capitata* . . . . .  
 — *capitellata* . . . . .  
 \* — *Chionantha* . . . . .  
 — *Clusiana* . . . . .  
 — *Cockburniana* . . . . .  
 — *conspersa* . . . . .  
 — *crispata* . . . . .  
 — *darialica* . . . . .  
 \* *Primula denticulata* . . . . .  
 \* — *farinosa* . . . . .  
 \* — *Florindae* . . . . .  
 — *frondosa* . . . . .  
 — *glaucescens* . . . . .  
 — *hirsuta (viscosa)* . . . . .  
 \* — *japonica* . . . . .  
 \* — *japonica alba* . . . . .  
 — *longiflora* . . . . .  
 — *macrophylla* . . . . .  
 — *marginata* . . . . .  
 \* — *Mooreana* . . . . .  
 — *muscariaoides* . . . . .  
 — *officinalis* . . . . .  
 \* — *pseudo-sikkimensis* . . . . .  
 \* — *pulverulenta* . . . . .  
 — *purpurea* . . . . .  
 — *rosea splendens* . . . . .  
 — *sibirica* . . . . .  
 \* — *Sikkimensis* . . . . .  
 — *villosa* . . . . .  
 \* — *Waltonii* . . . . .  
 — *Wardii* . . . . .  
 — *Weststeinii* . . . . .  
 — *Wulfeniana* . . . . .  
*Pyrethrum argenteum* . . . . .  
 \* — *Tschihatscheffi* . . . . .  
*Ramondia Nathaliae* . . . . .  
*Ranunculus aconitifolia* . . . . .  
 — *anemonoides* . . . . .  
 — *graminens* . . . . .  
 — *parnassifolius* . . . . .  
 — *sommieri* . . . . .  
 — *alpestris* . . . . .  
 — *glacialis* . . . . .  
 — *montanus* . . . . .  
 — *pyrenaicus* . . . . .  
 — *rutaefolius* . . . . .  
*Reseda glauca* . . . . .  
*Rhododendron chamaecistus* . . . . .  
 \* — *ferrugineum* . . . . .  
 \* *Rosa alpina* . . . . .  
*Rudbeckia hirta* . . . . .  
 — *purpurea* . . . . .  
*Ruta graveolens* . . . . .  
*Sagina procumbens* . . . . .  
*Salix herbacea* . . . . .  
 — *reticulata* . . . . .  
 — *retusa* . . . . .  
*Saponaria caespitosa* . . . . .  
 — *ocymoides* . . . . .  
*Satureya renanda* . . . . .  
*Saussurea alpina* . . . . .  
 — *Hypoleuca* . . . . .  
 \* *Saxifraga aizoides* . . . . .  
 \* — *aizoon (mélange hy-  
 bride)* . . . . .  
 — *aspera* . . . . .  
 — *biflora* . . . . .  
 — *Brunoniana* . . . . .



- bryoides . . . . .
- caespitosa . . . . .
- cartilaginea . . . . .
- cotyledon . . . . .
- cotyledon lingulata . . . . .
- crassifolia . . . . .
- crustata . . . . .
- cuneata . . . . .
- cuneifolia . . . . .
- decipiens var. rosea . . . . .
- diapensioides . . . . .
- diversifolia . . . . .
- Geum . . . . .
- Kolenatiana . . . . .
- Lantoscana . . . . .
- lingulata . . . . .
- lingulata Alberti . . . . .
- longifolia . . . . .
- longifolia x cotyledon . . . . .
- Malyi . . . . .
- micranthidifolia . . . . .
- muscoides . . . . .
- oppositifolia . . . . .
- pedemontana . . . . .
- primuloides . . . . .
- pyramidalis . . . . .
- rhaetica . . . . .
- Rhei rosea . . . . .
- rotundifolia . . . . .
- Tenella . . . . .
- umbrosa . . . . .
- Zimmeteri . . . . .
- \*Scabiosa caucasica . . . . .
- graminifolia . . . . .
- Scutellaria alpina . . . . .
- Scutellaria alpina alba . . . . .
- orientalis . . . . .
- Sedum aizoon . . . . .
- amplexicaule . . . . .
- Anacampseros . . . . .
- anopetalum . . . . .
- brevifolium . . . . .
- corsicum . . . . .
- dasyphyllum . . . . .
- Ducei . . . . .
- Ewersii . . . . .
- gracilis . . . . .
- Kamtschaticum . . . . .
- Kirilowii . . . . .
- lydium . . . . .
- Middendorffianum . . . . .
- obtusatum . . . . .
- pilosum . . . . .
- Spathulifolium var. . . . .
- purpureum . . . . .
- spurium . . . . .
- spurium splendens . . . . .
- stoloniferum . . . . .
- Sempervivum arachnoideum . . . . .
- Heuffeli . . . . .
- Kapaornikense . . . . .
- montanum . . . . .
- Pittoni . . . . .
- rubicundum . . . . .
- Schlehani . . . . .
- tectorum . . . . .
- Senecio abrotanifolius . . . . .
- aurantiacus . . . . .
- Doronicum . . . . .
- incanus . . . . .
- Przewalskyi . . . . .
- tyrolensis . . . . .
- uniflorus . . . . .
- Veitchianus . . . . .
- Seseli caespitosa . . . . .
- Sibbaldia procumbens . . . . .
- \*Silene acaulis . . . . .
- alpestris . . . . .
- bryoides . . . . .
- bryoides flore pleno . . . . .
- caroliniana . . . . .
- legionensis . . . . .
- maritima . . . . .
- maritima alba . . . . .
- rupestris . . . . .
- saxifraga . . . . .
- schafta . . . . .
- sendtneri . . . . .
- \*Soldanella alpina . . . . .
- Solidago alpestris . . . . .
- Statice latifolia . . . . .
- Streptopus amplexifolius . . . . .
- Tanacetum balsamitum . . . . .
- Swertia perennis . . . . .
- Teucrium pyrenaicum var. . . . .
- filiformis . . . . .
- Thalictrum aquilegifolium . . . . .
- Delavayi . . . . .
- dipterocarpum . . . . .
- Thlaspi rotundifolium . . . . .
- Delavayi . . . . .
- dipterocarpum . . . . .
- Thymus serpyllum . . . . .
- Tofieldia calyculata . . . . .
- Townsendia Wilcoxiana . . . . .
- Trifolium alpinum . . . . .
- Trollius dahuricus . . . . .
- europaeus . . . . .
- pumilus . . . . .
- Tunica saxifraga . . . . .
- Umbilicus chrysanthus . . . . .
- Pestalozzae . . . . .
- Umbilicus spinosus . . . . .
- Vaccinium . . . . .
- vitis idaea . . . . .
- Valeriana montana . . . . .
- Saliunca . . . . .
- Tripteris . . . . .
- supina . . . . .
- Veronica Allionii . . . . .

— alpina . . . . .  
— aphylla . . . . .  
— armena . . . . .  
— bellidifolia . . . . .  
— caespitosa . . . . .  
— gentianoides . . . . .  
— fruticulosa . . . . .  
— incana . . . . .  
— paniculata . . . . .  
— rupestris . . . . .  
— saxatilis . . . . .  
— spicata var. nana . . . . .  
Viola arenaria . . . . .  
— biflora . . . . .  
— bosniaca . . . . .  
— cenisia . . . . .  
— cornuta . . . . .

— cornuta alba . . . . .  
— cornuta coerulea . . . . .  
— cornuta Wermig . . . . .  
— heterophylla . . . . .  
— lutea . . . . .  
— palustris . . . . .  
— papilionacea . . . . .  
— Patrini . . . . .  
— pinnata . . . . .  
— Riviniana rosea . . . . .  
— saxatilis aethiolic . . . . .  
— splendida . . . . .  
— violacea . . . . .  
— zoysii . . . . .  
Vittadenia triloba . . . . .  
Wulfenia carinthiaca . . . . .